

FLEXIPLUMB™

©

PLUMBING MADE EASY WITH THE FLEXIPLUMB RANGE

INNOVATIVE AND VERSATILE EPDM RUBBER PLUMBING CONNECTIONS FOR DOMESTIC AND COMMERCIAL USE



**SIMPLE WAYS TO SAVE MONEY
EASY TO FIT AND DO IT YOURSELF!**

Compliant with EN 681-2 Standards
Manufactured in EPDM, (Ethylene Propylene Diene Monomer (M Class)) Rubber

Environmental Products & Services Ltd.
5, Shepherd's Drive, Carnbane Ind. Est.
Newry, Co. Down, N. Ireland, BT35 6JQ
Tel: +44 (0) 28 3083 3081
Fax: +44 (0) 28 3083 3081
www.EPAS-Ltd.com

Environmental
Products & Services ^{Ltd}™

www.EPAS-Ltd.com

STRAIGHT CONNECTOR

Available in a range of sizes

- Highly flexible allowing for misalignment
- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P01-34	34mm	1 1/4"
0635P01-40	40mm	1 1/2"
0635P01-54	54mm	2"



90° BEND

Available in a range of sizes

- Highly flexible allowing for misalignment
- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P02-34	34mm	1 1/4"
0635P02-40	40mm	1 1/2"
0635P02-54	54mm	2"



TEE PIECE

Available in a range of sizes

- Highly flexible allowing for misalignment
- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P03-34	34mm	1 1/4"
0635P03-40	40mm	1 1/2"
0635P03-54	54mm	2"



RUNNING TRAP

Available in a range of sizes

- Add to plumbing run at the source of the problem
- Simply squeeze the running trap to clear blockages and save money!
- Stop bad odours
- Highly flexible allowing for misalignment
- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P04-34	34mm	1 1/4"
0635P04-40	40mm	1 1/2"
0635P04-54	54mm	2"



ADAPTOR

Available in a range of sizes

- Compatible with all Imperial and Metric Sizes
- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P05-34/40	34/40mm	1 1/4" 1 1/2"
0635P05-34/54	34/54mm	1 1/4" 2"
0635P05-40/54	40/54mm	1 1/2" 2"



P TRAP

Available in a range of sizes

- Installed underneath the sink
- Simply squeeze to clear blockages and save money!
- Stops bad odours
- Highly flexible allowing for misalignment
- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P06-34	34mm	1 1/4"
0635P06-40	40mm	1 1/2"
0635P06-54	54mm	2"



SAMPLING POINT

Tee Reducer and Drain Valve

- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
1905P05	54mm	2"



BOSS 50MM

Pipe Fitting Reducer

- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P07	110/50mm	4" / 2"



BOSS 34/40MM

Pipe Fitting Reducer

- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P08	110/32/42mm	4" / 1 1/4" / 1 1/2"



ENDCAP

Available in a range of sizes

- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P10-34	34mm	1 1/4 "
0635P10-40	40mm	1 1/2 "
0635P10-54	54mm	2"



FLEXIBLE HOSE

Available in a range of sizes

- Increases flexibility for installation
- Increases mobility for GreaseShield, Integrated Work Station etc
- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0604P19-1.5	40mm	1 1/2 "
060419-2.0	54mm	2"



45° BEND

Available in a range of sizes

- Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0635P12-34	34mm	1 1/4 "
0635P12-40	40mm	1 1/2 "
0635P12-54	54mm	2"



SEWER FIXING BRACKET

Fixed pipes or fittings

- Material - Copolymer-Polypropylene • Operating Temperature 15°C- 130°C

PART NO.	NOMINAL PIPE OD	IMPERIAL SIZE
0604P38-A-54	54mm	2"



FLEXIPLUMB™

KEY BENEFITS

- Ease of installation with stainless steel jubilee clip
- Easy to fit and do it yourself
- Highly flexible allowing for misalignment
- Freedom from corrosion

KEY APPLICATIONS

- Commercial Kitchens
- Hotels
- Domestic Applications etc.



PLUMBERS MATE

Simple alignment and fixing tool for 32mm, 40mm and 50mm pipe or Imperial equivalent.

Correct invert drainage levels every time!!.



ISO Certifications

Quality ISO 9001:2008 Environment ISO 14001: 2004 Health & Safety OHSAS 18001:2007

Members of



Contact EPAS for your copper and plastic plumbing fitting needs.

Contact: Sales@FlexiPlumb.eu for more details

Or Visit FlexiPlumb.eu for FULL Product Range